




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : A63F 13/12	A1	(11) International Publication Number: WO 00/61252 (43) International Publication Date: 19 October 2000 (19.10.00)
(21) International Application Number: PCT/JP00/02352 (22) International Filing Date: 11 April 2000 (11.04.00) (30) Priority Data: 11/106706 14 April 1999 (14.04.99) JP (71) Applicant: SONY COMPUTER ENTERTAINMENT INC. [JP/JP]; 1-1, Akasaka 7-chome, Minato-ku, Tokyo 107-0052 (JP). (72) Inventor: CHATANI, Masayuki ; Sony Computer Entertainment Inc., 1-1, Akasaka 7-chome, Minato-ku, Tokyo 107-0052 (JP). (74) Agent: CHIBA, Yoshihiro ; Shinjuku Maynds Tower 16F., 1-1, Yoyogi 2-chome, Shibuya-ku, Tokyo 151-0053 (JP).		(81) Designated States: AU, BR, CA, CN, KR, MX, NZ, RU, SG, European patent (BE, CH, DE, DK, ES, FI, FR, GB, IT, NL, SE). Published With international search report.

(54) Title: ENTERTAINMENT SYSTEM, DATA COMMUNICATION NETWORK SYSTEM, ENTERTAINMENT APPARATUS, AND PORTABLE INFORMATION COMMUNICATION TERMINAL

(57) Abstract

A database communication network system has an entertainment system (12) comprising an entertainment apparatus (102) to which a portable information communication terminal (32) is detachably connected. An individual identification code (individual PDA ID) of the portable information communication terminal (32) and a service request are transmitted from the entertainment system (12) via a bidirectional communication network (16) to a computer system (20) having a server function. The computer system (20) transmits a command representing the individual PDA ID and the service request via a link (22) in the form of a LAN to a computer system (24) having a database. The computer system (24) searches a database to extract information corresponding to a service request, and transmits (broadcasts) the extracted information together with the individual PDA ID via a wireless unidirectional communication network (28) and a link (30) to the portable information communication terminal (32). Only the portable information communication terminal (32) with the individual PDA ID is capable of reproducing the received data.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

- 1 -

DESCRIPTION

ENTERTAINMENT SYSTEM, DATA COMMUNICATION NETWORK SYSTEM,
ENTERTAINMENT APPARATUS, AND PORTABLE INFORMATION
5 COMMUNICATION TERMINAL

Technical Field

The present invention relates to an entertainment sys-
tem which allows the user of a portable information communi-
10 cation terminal capable of receiving wireless signals using
a wireless paging system or pager to obtain desired informa-
tion based on received wireless signals, a data communica-
tion network system, an entertainment apparatus, and a port-
able information communication terminal.

15

Background Art

Portable information communication terminals (also
referred to as PDA "Personal Digital Assistant") having a
flat display unit such as a liquid crystal display (LCD)
20 unit, e.g., personal computers, electronic notebooks, port-
able telephone sets, PHS terminals, pagers, etc. have been
in widespread usage.

Entertainment apparatus for downloading programs from
mass-storage mediums such as CD-ROMs to play games or play-
25 ing back music pieces in CDs are also gaining growing popu-
larity.

There have also been put to use portable game machines

that are detachably connectable to entertainment apparatus.

The portable game machines basically have a rewritable memory such as a flash memory and a CPU (Central Processing Unit). When a portable game machine is connected to an entertainment apparatus, a program is downloaded from the entertainment apparatus into the portable game machine.

After the program is downloaded, the portable game machine is disconnected from the entertainment apparatus, and can execute a game or the like based on the program downloaded in the memory.

Heretofore, entertainment systems which are constructed of conventional portable game machines and entertainment apparatus have not been designed to use those portable game machines as portable information communication terminals.

It is therefore an object of the present invention to provide an entertainment system which allows a portable information communication terminal and an entertainment apparatus to complement each other to create new functions, a data communication network system using such an entertainment system, an entertainment apparatus, and a portable information communication terminal.

Another object of the present invention is to provide an entertainment system which is capable of increasing the convenience of a portable information communication terminal and an entertainment apparatus, a data communication network system using such an entertainment system, an entertainment apparatus, and a portable information communication terminal.

nal.

Disclosure of Invention

According to the present invention, when an identification code and a service request are transmitted from a master unit to which a portable information communication terminal with a wireless reception function is connected, via a communication network to a computer system, the computer system transmits a service corresponding to the service request as a wireless signal to the portable information communication terminal. Therefore, the portable information communication terminal and the master unit can receive the service corresponding to the service request.

The computer system may transmit the identification code together with the service corresponding to the service request, so that only the portable information communication terminal and the master unit whose identification codes agree with the transmitted identification code can receive the service corresponding to the service request.

According to the present invention, furthermore, when an identification code and a service request are transmitted from an entertainment apparatus via a bidirectional communication network to a computer system having a server function, a portable information communication terminal can receive a service corresponding to the service request via a unidirectional communication network from another computer system having a data processing function and/or a database

searching function. The first- and second-mentioned computer systems may be one computer system.

If the service request comprises a news distribution reference, then the portable information communication terminal can receive news based on the news distribution reference.

If the service request comprises a command for an on-line banking transaction, then the portable information communication terminal can receive information representing the processed transaction.

If the service request comprises data transmitted for purchasing an electronic image online, then the portable information communication terminal can receive the electronic image with an electronic watermark (digital watermark) added thereto.

The above and other objects, features, and advantages of the present invention will become more apparent from the following description when taken in conjunction with the accompanying drawings in which preferred embodiments of the present invention are shown by way of illustrative example.

Brief Description of Drawings

FIG. 1 is a schematic view showing a data communication network system according to the present invention, which incorporates an entertainment system according to the present invention;

FIG. 2 is a block diagram of the data communication

network system shown in FIG. 1;

FIG. 3 is a plan view of a portable information communication terminal;

FIG. 4 is a perspective view of the portable information communication terminal;

FIG. 5 is a perspective view of the portable information communication terminal with a lid being open;

FIG. 6 is a perspective view of the entertainment system;

FIG. 7 is a block diagram of the portable information communication terminal;

FIG. 8 is a block diagram of an entertainment apparatus;

FIG. 9 is a logic diagram showing the logic relationship between the entertainment apparatus and the portable information communication terminal connected thereto;

FIG. 10 is a block diagram of a selective news distribution system as an example of the data communication network system;

FIG. 11 is a flowchart of an operation sequence of the selective news distribution system shown in FIG. 10;

FIG. 12 is a block diagram of an online banking system as another example of the data communication network system;

FIG. 13 is a flowchart of an operation sequence of the online banking system shown in FIG. 12;

FIG. 14 is a block diagram of an electronic image sales system as another example of the data communication network

system; and

FIG. 15 is a flowchart of an operation sequence of the electronic image sales system shown in FIG. 14.

5 Best Mode for Carrying Out the Invention

FIG. 1 schematically shows a data communication network system 10 according to the present invention, which incorporates an entertainment system 12 according to the present invention.

10 FIG. 2 shows in block form the data communication network system 10 illustrated in FIG. 1.

As shown in FIGS. 1 and 2, the data communication network system 10 basically comprises the entertainment system 12 for enjoying games, etc., a wire and/or wireless bidirectional communication network 16 connected to an entertainment apparatus (main unit) 102 of the entertainment system 12 by a link 14, a computer system 20 having a server function and connected to the bidirectional communication network 16 by a link 18, a computer system 24 having a data processing function and a database function and connected to the computer system 20 by a link 22, a wireless unidirectional communication network 28 connected to the computer system 24 by a link 26, and a portable information communication terminal 32 connected to the wireless unidirectional communication network 28 by a link 30. The portable information communication terminal 32 is detachably connectable to the entertainment apparatus 102.

- 7 -

The link 14 between the entertainment apparatus 102, which has a communication function, and the bidirectional communication network 16 may be a circuit 34 of an analog telephone terminal, a digital telephone terminal, a CATV
5 (Cable Television) terminal, a wireless portable telephone terminal, a PHS (Personal Handy-phone System) terminal, etc.

The bidirectional communication network 16 may be a network of a local telephone company, a CATV company, a cellular telephone company, etc., the Internet connected to an
10 internet service provider (ISP), or the like.

The link 18 between the bidirectional communication network 16 and the computer system 20 may be a dial-up line which can be connected by a telephone circuit 36 only when it is dialed, or a private line.

15 The link 22 between the computer system 20 and the computer system 24 may be a LAN (Local Area Network) or a WAN (Wide Area Network) which are communication circuits capable of high-speed communication.

The computer systems 20, 24 comprise respective main
20 computers 20a, 24a each having a mass-storage medium, respective display monitors 20b, 24b, and respective keyboards 20c, 24c and mice 20d, 24d as input means. The computer system 20 with the server function instructs the computer system 24 to perform a certain processing operation when
25 supplied with an identification (ID) code and a service request from the entertainment system 12 as a client.

The computer systems 20, 24 may be combined into an in-

tegral computer system 24 having a data processing function and/or a database function.

Based on instructions from the computer system 20, the computer system 24 searches its own database or a database
5 of another computer (not shown) via the link 22, and performs desired data processing.

The link 26 between the computer system 24 and the wireless unidirectional communication network 28 may be a dial-up line which can be connected by a telephone circuit
10 38 only when it is dialed, or a private line.

The wireless unidirectional communication network 28 may comprise a wireless paging system or pager, a service provider network, a TV data broadcasting network, a satellite data broadcasting network, or CS (Communication Satellite)
15 lite) telephone data broadcasting network.

In FIG. 1, a satellite data broadcasting network is used as the wireless unidirectional communication network 28, and comprises a transmitting station 40 having a transmission antenna 39, and a communication satellite 42 having
20 an antenna for reflecting wireless waves transmitted from the transmission antenna 39 to the ground.

The link 30 between the wireless unidirectional communication network 28 and the portable information communication terminal 32 comprises a wireless link such as a microwave link or the like.
25

As shown in FIG. 1, the entertainment system 12 has the entertainment apparatus 102 which has a communication func-

tion for reading and executing various programs stored in an optical disk 156 that is a detachable storage medium (mass-storage medium) such as a CD-ROM or a DVD (Digital Video Disk) and for connection to the bidirectional communication network 16 via the link 14. The entertainment apparatus 102
5 can also serve as a client, as described later on.

The entertainment system 12 also has the portable information communication terminal 32 which is detachably connected to the entertainment apparatus 102, capable of receiving wireless signals from the wireless unidirectional
10 communication network 28 via the link 30, and also capable of sending information to and receiving information from at least the entertainment apparatus 102 via a connector or wireless communications such as infrared communications.

15 The entertainment system 12 further has a manual controller 108 connected to the entertainment apparatus 102 by a connector and a display monitor 164 as a display unit connected to the entertainment apparatus 102. The display monitor 64 may comprise a television receiver. The entertainment apparatus 102, the manual controller 108, and the
20 display monitor 164 may be combined into an integral entertainment system.

Based on received information from an antenna 218, the portable information communication terminal 32 can expanded
25 compressed data that has been received and display characters and images (still and moving images) represented by the expanded data on a display screen 57 (see FIGS. 3 through 5)

of a display unit 58. Such characters and images can also be displayed on a display screen 201 of the display monitor 164 via the entertainment apparatus 102.

FIGS. 3 through 5 show the portable information communication terminal 32. As shown in FIGS. 3 through 5, the portable information communication terminal 32 has a housing 50 which supports a manual control pad 56 having a plurality of direction buttons 52 and a decision button 54 for entering events and making various selections, a display unit 58 comprising a liquid crystal display (LCD) unit or the like which has a display screen 57, a window 60 for wireless communication with another portable information communication terminal 32 or the entertainment apparatus 102 via infrared radiation or the like, and a wireless antenna (reception antenna) 218 (see FIG. 2) for receiving wireless signals from the communication satellite 42.

As shown in FIGS. 4 and 5, the housing 50 comprises an upper shell 50a and a lower shell 50b, and houses a board which supports a CPU, a memory device, etc. thereon.

The manual control pad 56 occupies a substantially half area of the upper shell 50a, and is positioned remotely from the window 60. The manual control pad 56 comprises a substantially square lid 66 that is angularly movably supported on the housing 50 and supports thereon the direction buttons 52 and the decision button 54, and switch pressers 68, 70 positioned in an area of the housing 50 which can be opened and closed by the lid 66. The housing 50 has a connector 64

- 11 -

at an end of the manual control pad 56.

The direction buttons 52 and the decision button 54 extend through the lid 66. The direction buttons 52 and the decision button 54 are supported on the lid 66 for movement into and out of the upper surface of the lid 66. The switch pressers 68, 70 have respective pressing elements supported on the housing 50 for movement into and out of the upper surface of the housing 50. When one of the pressing elements is pressed from above, it presses a corresponding pressure switch such as a diaphragm switch, for example, mounted on the board in the housing 50.

With the lid 66 closed, the switch pressers 68, 70 are held in vertical alignment with the direction buttons 52 and the decision button 54, respectively. Therefore, while the lid 66 is being closed over the housing 50, when the direction buttons 52 and the decision button 54 are pressed from above into the upper surface of the lid 66, the direction buttons 52 and the decision button 54 cause the pressing elements of the corresponding switch pressers 68, 70 to press corresponding pressure switches in the housing 50.

FIG. 6 shows in perspective the entertainment system 12 in use with the portable information communication terminal 32 connected thereto (see FIG. 1).

As shown in FIG. 6, the entertainment system 12 includes an entertainment apparatus 102 which serves as a master unit for the portable information communication terminal 32, the manual controller 108 detachably inserted in one of

lower insertion units 106A, 106B in two slots 104A, 104B defined in a front wall of the entertainment apparatus 102, the portable information communication terminal 32 detachably inserted in one of upper insertion units 110A, 110B in the slots 104A, 104B, and the display monitor 164 such as a television receiver which is supplied with video and audio output signals from the entertainment apparatus 102. Although not shown, a memory card containing a flash memory or the like for recording interim data of a game that is being played may be inserted into the upper insertion units 110A, 110B. The portable information communication terminal 32 also functions as a memory card.

The entertainment apparatus 102 has a disk loading unit 114 for loading an optical disk 156 as a storage medium such as a DVD, a CD-ROM, or the like, a reset switch 116, a power supply switch 118, a disk control switch 120 for controlling the loading of the optical disk 156, and the two slots 104A, 104B.

The manual controller 108, which is connected to the entertainment apparatus 102, has first and second control pads 121, 122, an L button 123L, an R button 123R, a start button 124, and a selection button 125. The manual controller 108 also has control pads 131, 132 for making analog control actions, a mode selection switch 133 for selecting control modes of the control pads 131, 132, and an indicator 134 for indicating a selected control mode. The above elements of the manual controller 108, except for the indicator

134, are collectively referred to as a control key assembly 135 for an easier understanding.

The entertainment apparatus 102 can read a program recorded in the optical disk 156 with the disk loading unit 114, and execute a game, for example, based on the program depending on commands supplied from the user, e.g., the game player, via the manual controller 108, with the assistance of images displayed on and sounds produced by the display monitor 164. The execution of the game mainly represents controlling the progress of the game and the display of images and the generation of sounds.

FIG. 7 shows in block form an electric circuit of the portable information communication terminal 32. As shown in FIG. 7, the portable information communication terminal 32 basically functions as a computer, and has a wireless communication block 220 as a wireless signal receiver for receiving wireless signals such as microwave signals or the like transmitted from the wireless unidirectional network system 28 via the antenna 218.

The portable information communication terminal 32 also has a nonvolatile memory 222 comprising a flash memory or the like as a storage medium compatible with a memory card.

The portable information communication terminal 32 also has a CPU 224 for executing a program and data stored in the nonvolatile memory 222 on the portable information communication terminal 32, and a working memory 226.

The portable information communication terminal 32 fur-

ther includes a display block 230 comprising a liquid crystal display controller (LCDC) 228 which also functions as a display controller together with the CPU 224 and the display unit 58 having the display screen 57, an input block 234

5 comprising the manual controller 56 and an input interface (input IF) 232 for the manual controller 56, a serial communication block 236 for effecting serial communications with the entertainment apparatus 102 via a physical connector, an infrared communication block 238 for effecting infrared com-

10 munications with another portable information communication terminal 32 or the entertainment apparatus 102, and a function block 240 for performing other functions than the above blocks, which may include a power supply function, for example. These blocks 220, 238, 224, 222, 226, 230, 234, 240,

15 236 are connected to each other by a bus 242. The infrared communication block 238 also functions as a wireless signal receiver.

The nonvolatile memory 222 stores identification codes of information that can be received, as data. When data is

20 received by the wireless communication block 220, the portable information communication terminal 32 compares the identification code contained in the header of the received data with the stored identification codes, reads the received data only when the compared identification codes

25 agree with each other, and stores the read data via the working memory 226 into the nonvolatile memory 222. The nonvolatile memory 222 also stores data relative to an indi-

vidual PDA identification code (individual ID, hereinafter referred to as "individual PDA ID"), e.g., a production serial number or a password assigned to the portable information communication terminal 32 when it is purchased, which serves to identify the portable information communication terminal 32 itself. The nonvolatile memory 222 also stores data relative to a user identification code (user ID, hereinafter referred to as "PDA user ID") that is entered by the user of the portable information communication terminal 32 via the manual control pad 56 to identify the user.

FIG. 8 shows in block form an electric circuit of the entertainment apparatus 102. As shown in FIG. 8, the entertainment apparatus 102 has a serial communication block 250, an infrared communication block 262, a CPU 252, an input block 254, a mass-storage medium block 256, a main memory 258, a nonvolatile memory 259, a graphic processor 260, a modem communication block 257, and a function block 264. These blocks are connected to each other by a bus 266.

The input block 254 functions as a manual input controller (not shown) for allowing the user to enter various items of information into the entertainment apparatus 102.

The main memory 258 serves as a memory means for storing various data. For example, the main memory 258 stores application software, data transmitted from the portable information communication terminal 32 and the manual controller 108 via the serial communication block 250, and data transmitted from the portable information communication ter-

terminal 32 via the infrared communication block 262.

The nonvolatile memory 259 stores data relative to an individual identification code (individual ID, hereinafter referred to as "individual EMA (entertainment apparatus) ID"), e.g., a production serial number which serves to identify the entertainment apparatus 102 itself. The nonvolatile memory 259 also stores data relative to a user identification code (user ID, hereinafter referred to as "EMA user ID") that is entered by the user of entertainment apparatus 102 via the manual controller 108 to identify the user.

The graphic processor 260 serves as a processor for processing image data. For example, the graphic processor 260 performs graphic processing, e.g., polygon graphic processing, for images to be displayed on the display screen 201 of the display monitor 164.

The mass-storage medium block 256 serves as a unit for reading various programs or data recorded in the optical disk 156, as a mass-storage package medium.

The serial communication block 250 has a function to effect serial communications with an external device. The serial communication block 250 is electrically connectable to the serial communication block 250 of the portable information communication terminal 32 and a serial communication block of the manual controller 108 for data communications with the portable information communication terminal 32 and the manual controller 108.

- 17 -

The modem communication block 257, which has a modem as a signal converter, converts data generated by the portable information communication terminal 32 or the entertainment apparatus 102 into an analog signal, transmits the analog signal to the circuit 34 of the link 14, converts a data signal or an analog signal transmitted from the computer system 20 or the bidirectional communication network 16 into a data signal, and stores the data signal into the main memory 258. If the link 14 comprises a digital circuit, then the modem communication block 257 may be replaced with a DSU communication block having a DSU (Digital Service Unit) as a signal converter. The entertainment apparatus 102 may have both the modem communication block 257 and the DSU communication block.

The function block 264 is arranged to perform other functions than the above blocks, and may comprise a power supply block or a connection block for connection to the memory card as a storage medium and the portable information communication terminal 32, for example.

The CPU 252 functions to control the above blocks 257, 260, 262, 258, 254, 256, 264.

FIG. 9 shows the logic relationship between the entertainment apparatus 102 and the portable information communication terminal 32 connected thereto. As shown in FIG. 9, the portable information communication terminal 32 comprises a hardware layer 270 (including the antenna 218) for processing data received via the antenna 218 (see FIG. 7), and a

software layer 272 for performing communications in the hardware layer 270, the software layer 272 comprising a wireless communication driver 274, a serial communication driver 276, and a communication application 278.

5 As shown in FIG. 7, the hardware layer 270 of the portable information communication terminal 32 comprises the blocks including the CPU 224 and the wireless communication block 220 which are connected to the bus 178. The wireless communication block 220 receives data with the wireless communication driver 274 which comprises a program. The CPU
10 224 has a function to control the above blocks, e.g., to control the blocks according to various programs including the communication application 278 of the software layer 272.

 As shown in FIG. 9, the entertainment apparatus 102
15 comprises a hardware layer 280 and a software layer 282 comprising application software 284 for controlling the hardware layer 280 and performing communications and image processing, and a serial communication driver 286 and a wireless communication driver 288 included in the application software
20 284.

 As shown in FIG. 8, the hardware layer 280 of the entertainment apparatus 102 comprises the blocks including the CPU 252, the serial communication block 250, the modem communication block 257 which are connected to the bus 266.
25 The serial communication block 250 is controlled for its communications by the serial communication driver 286. The modem communication block 257 is controlled for its communi-

cations by the wireless communication driver (modem communication driver) 288.

The entertainment apparatus 102 and the portable information communication terminal 32 are physically connected to each other between the connector 64 (see FIG. 5) of the portable information communication terminal 32 and the connector (not shown) of the upper insertion unit 110A of the entertainment apparatus 102. Of course, the entertainment apparatus 102 and the portable information communication terminal 32 can electrically be connected to each other in a wireless fashion between their infrared communication blocks 262, 238.

Operation of the data communication network system 10 will be described below.

Overall operation of the data communication network system 10 will first be described below. When the entertainment apparatus 102 and the portable information communication terminal 32 are electrically connected to each other, e.g., when the portable information communication terminal 32 is connected to the entertainment apparatus 102 as shown in FIG. 1 or when the portable information communication terminal 32 is not physically connected to, but is capable of infrared communication with, the entertainment apparatus 102, the entertainment apparatus 102 reads the inherent individual identification code (individual PDA ID) stored in the nonvolatile memory 222 from the portable information communication terminal 32. The entertainment apparatus 102

- 20 -

transmits the individual PDA ID of the portable information communication terminal 32 and a service request for a service to be received to the computer system 20 with the server function via the link 14, the bidirectional communication network 16, and the link 18.

The computer system 20 sends commands corresponding to the individual PDA ID and the service request received from the entertainment system 12 via the link 22 such as a LAN or the like to the computer system 24 having the database.

The computer system 24 searches the database to extract information represented by the service request, or processes data depending on the service request, compresses the extracted information or the processes data into compressed data, and sends a frame of compressed data (data transmission unit) with the individual PDA ID in its header (address part), via the wireless link 30 to the portable information communication terminal 32. Having received the frame, the portable information communication terminal 32 compares its own individual PDA ID with the received individual PDA ID, and can expand and reproduced the received data (compressed data) only when the compared individual PDA IDs agree with each other.

The expanded data can also be reproduced on the display monitor 164 by the entertainment apparatus 102 which is connected to the portable information communication terminal 32.

Therefore, the entertainment system 12 which includes

the portable information communication terminal 32 can receive the desired service based on the service request via the network. The entertainment system 12 can receive the desired service on a real-time basis.

5 First, second, and third embodiments of the present invention will be described below.

FIG. 10 shows in block form a selective news distribution system 10A as an example of the data communication network system which includes the entertainment system 12 comprising the portable information communication terminal 32 and the entertainment apparatus 102. FIG. 11 shows a flow-chart of an operation sequence of the selective news distribution system 10A shown in FIG. 10.

The entertainment apparatus 102 runs client software for setting up news distribution references which has been downloaded from the optical disk 156 via the mass-storage medium block 256. In step S1, the user of the entertainment apparatus 102 starts the client software, and sets up news distribution references including the type (category) of news information which the user wants to be distributed, the maximum number of pieces of news information to be transmitted at one time, and the frequency with which news information is to be transmitted per day. The client software for setting up news distribution references can be downloaded from the computer system 20 via the link 18, the bidirectional communication network 16, and the link 14 into the main memory 258. The client software stored in the main

- 22 -

memory 258 may be loaded into the nonvolatile memory 259.

In step S2, the entertainment system 12 transmits the news distribution references relative to a desired service request, together with the individual PDA ID read from the
5 nonvolatile memory 222 of the portable information communication terminal 32, via the link 14, the bidirectional communication network 16, and the link 18 to the computer system 20. In addition to the individual PDA ID read from the nonvolatile memory 222, other identification codes including
10 the EMA user ID of the entertainment apparatus 102 and/or the PDA user ID of the portable information communication terminal 32 is also transmitted to the computer system 20.

In the data communication network 10 (10A) which transmits the individual PDA ID as an indispensable identification
15 on code, the portable information communication terminal 32 can be considered as a medium similar to a transaction card for use in an online banking system (online bank system).

Upon reception of the individual PDA ID and the news distribution reference information, the computer system 20
20 determines a destination portable information communication terminal 32 and news distribution references based on the individual PDA ID and the news distribution reference information which have been transmitted, and transmits them as a command relative to the desired service request via the link
25 22 to the computer system 24 which has a database of user information and a function to distribute news to the portable information communication terminal 32 based on news

distribution references for users in step S3. The computer system 20 sends an acknowledgment for the command via the link 18, the bidirectional communication network 16, and the link 14 to the entertainment apparatus 102, whereupon the transmission path between the entertainment apparatus 102 and the computer system 20, based on the links 14, 18 and the bidirectional communication network 16, is disconnected.

In step S4, the computer system 24 stores the individual PDA ID of the portable information communication terminal 32 and the news distribution references in a memory for distribution contents (news distribution references) and a memory for destinations in its own database.

The computer system 24 has various items of news information that is added and updated from time to time in its database. The various items of news information are classified under the categories of society, economy, industry, sports, etc.

In step S5, based on the command from the computer system 20, the computer system 24 selects news information matching the news distribution references from the database, compresses the selected news information into compressed data, and distributes, to the portable information communication terminal 32 designated as a destination, the individual PDA ID of the destination and a frame of compressed data with the individual PDA ID in its header and the compressed data in its data part.

The news information is distributed repeatedly inter-

- 24 -

mittently via the link 26, the wireless unidirectional communication network 28, and the wireless link 30 to a plurality of portable information communication terminals 32.

However, in step S6, the news information can be reproduced
5 by only the portable information communication terminal 32, among those plural portable information communication terminals 32, which has the individual PDA ID, stored in the non-volatile memory 222, that agrees with the individual PDA ID in the header of the transmitted frame. The compressed data
10 can be decoded, i.e., expanded, by a decoder in the wireless communication block 220 or the CPU 224. The CPU 224 determines whether individual PDA ID of the portable information communication terminal 32 agrees with the individual PDA ID in the header of the transmitted frame or not.

15 The news information is reproduced on the display screen 57 of the display unit 58 of the portable information communication terminal 32, and also on the display screen 201 of the display monitor 164 of the entertainment apparatus 102 to which the portable information communication terminal 32 is connected. When the news information is reproduced on the display screen 57 or the display screen 201,
20 sound can also be reproduced in synchronism with the displayed image.

FIG. 12 shows in block form an online banking system
25 10B as another example of the data communication network system which includes the entertainment system 12 comprising the portable information communication terminal 32 and the

entertainment apparatus 102. FIG. 13 shows a flowchart of an operation sequence of the online banking system 10B shown in FIG. 12.

The entertainment apparatus 102 runs client software
5 for online banking which has been downloaded from the optical disk 156 via the mass-storage medium block 256. In step S11, the user of the entertainment apparatus 102 starts the client software, and transmits the individual PDA ID of the connected portable information communication terminal 32 via
10 the link 14, the bidirectional communication network 16, and the link 18 to the computer system 20. The client software for online banking can be downloaded from the computer system 20 via the bidirectional communication network 16 into the entertainment apparatus 102.

15 In step S12, the computer system 20 decodes the transmitted individual PDA ID, which doubles as a security password. If the decoded individual PDA ID is the same as an individual PDA ID registered in the database of the computer system 20, then the computer system 20 indicates, to the entertainment apparatus 102 via the link 18, the bidirectional
20 communication network 16, and the link 14, that a server access to online banking services can be gained.

In step S13, the user enters a desired one of various transactions, e.g., money transfer between accounts, balance
25 checking, etc. offered by online banking services, via the manual controller 108, and the entertainment apparatus 102 transmits the entered transaction via the link 14, the bidi-

- 26 -

rectional communication network 16, and the link 18 to the computer system 20.

In step S14, the computer system 20 transfers a command relative to the individual PDA ID and a transaction processing request to the computer system 24.

In step S15, the computer system 24 processes the transaction indicated by the transaction processing request with respect to a user's bank account number, stored in the database, corresponding to the individual PDA ID.

In step S16, if the computer system 24 confirms that there is a monetary deposit from an external source into a bank account number via an ATM (Automatic Teller Machine), then the computer system 24 searches for an individual PDA ID based on the account number for which the monetary deposit has been made. If the individual PDA ID based on the bank account number is the same as the individual PDA ID of the connected portable information communication terminal 32, then the computer system 24 generates a frame of data including the monetary deposit information and the processed transaction information in data part and the individual PDA ID as a password in its header, and transmits the frame via the link 26, the wireless unidirectional communication network 28, and the link 30 to the portable information communication terminal 32.

The individual PDA ID as a password can only be decoded by the portable information communication terminal 32 whose individual PDA ID is stored in the nonvolatile memory 222 in

step S17. Therefore, the received data can be reproduced by the portable information communication terminal 32.

The user can confirm the processed transaction information and the bank account number information on the display screen 57 of the display unit 58 of the portable information communication terminal 32 and/or the display screen 201 of the display monitor 164 of the entertainment apparatus 102.

FIG. 14 shows in block form an electronic image sales system 10C as another example of the data communication network system which includes the entertainment system 12 comprising the portable information communication terminal 32 and the entertainment apparatus 102. FIG. 15 shows a flow-chart of an operation sequence of the electronic image sales system 10C shown in FIG. 14.

The entertainment apparatus 102 runs client software for purchasing electronic images online which has been downloaded from the optical disk 156 via the mass-storage medium block 256 into the main memory 258. In step S21, the user of the entertainment apparatus 102 starts the client software, selects a desired electronic image to be purchased, and transmits information relative to the selected electronic image and the individual PDA ID of the connected portable information communication terminal 32 which is presently connected to the entertainment apparatus 102, via the link 14, the bidirectional communication network 16, and the link 18 to the computer system 20. The client software for purchasing electronic images online can be downloaded from

the computer system 20 via the bidirectional communication network 16 into the entertainment apparatus 102.

In step S22, the computer system 20, which has a server function for purchasing electronic images online, determines
5 a destination portable information communication terminal 32 and an electronic image based on the information relative to the selected electronic image and the individual PDA ID which have been transmitted, and transmits a desired service request command indicative of the information representative
10 of the determined destination portable information communication terminal 32 and electronic image and a charge for the purchased electronic image, via the link 22 to the computer system 24. The computer system 24 has a function to generate an electronic watermark and transmit an electronic image
15 database and an electronic image to the portable information communication terminal 32 and also a function to process charges.

The computer system 20 sends an acknowledgment for the command via the link 18, the bidirectional communication
20 network 16, and the link 14 to the entertainment apparatus 102, whereupon the transmission path between the entertainment apparatus 102 and the computer system 20, based on the links 14, 18 and the bidirectional communication network 16, is cut off.

25 In step S23, the computer system 24 searches the database for the electronic image to be purchased, extracts the electronic image from the database, adds an electronic

- 29 -

watermark to the extracted electronic image for preventing unauthorized duplication thereof, and generates compressed data of the electronic image. The electronic watermark is generated using, as a key, the user information represented by the individual PDA ID transmitted from the entertainment apparatus 102.

In step S24, the computer system 24 generates charging information for the generation and distribution of the electronic image.

In step S25, the computer system 24 distributes a frame of compressed data with the individual PDA ID of the destination in its header and the charging information to the portable information communication terminal 32 indicated as the destination.

The frame of compressed data and the charging information are distributed via the link 26, the wireless unidirectional communication network 28, and the wireless link 30 to a plurality of portable information communication terminals 32. However, in step S26, the frame of compressed data and the charging information can be reproduced by only the portable information communication terminal 32, among those plural portable information communication terminals 32, which has the individual PDA ID, stored in the nonvolatile memory 222, that agrees with the individual PDA ID in the header of the transmitted frame. The compressed data can be decoded, i.e., expanded, by a decoder in the wireless communication block 220 or the CPU 224. The CPU 224 determines whether

individual PDA ID of the portable information communication terminal 32 agrees with the individual PDA ID in the header of the transmitted frame or not.

The electronic image is reproduced on the display screen 57 of the display unit 58 of the portable information communication terminal 32, and also on the display screen 201 of the display monitor 164 of the entertainment apparatus 102 to which the portable information communication terminal 32 is connected.

Electronic images can be distributed to the user intermittently or continuously as weekly periodically purchased images once the user gives a purchase instruction.

According to the present invention, as described above, when a desired service request is transmitted from the entertainment apparatus connected to the portable information communication terminal capable of wireless reception, via the bidirectional communication network to the computer system, the computer system effects processing depending on the transmitted service request, and a service indicated by the service request is distributed via the unidirectional communication network and provided to the user via the portable information communication terminal.

Therefore, the portable information communication terminal capable of wireless reception and the entertainment apparatus can complement each other to create various new functions.

Furthermore, it is possible to construct a data commu-

nication network system which is capable of increasing the convenience of a portable information communication terminal and an entertainment apparatus.

Although certain preferred embodiments of the present
5 invention have been shown and described in detail, it should be understood that various changes and modifications may be made therein without departing from the scope of the appended claims.

CLAIMS

1. An entertainment system comprising:

5 a master unit (102) connected to a communication network (16); and

a portable information communication terminal (32) connected to said master unit and capable of receiving a wireless signal from an external source;

10 the arrangement being such that when an identification code (ID) of the master unit and/or the portable information communication terminal and a service request are transmitted from said master unit via said communication network to a computer system (20), (24), said computer system transmits a service corresponding to said service request as a wireless
15 signal to said portable information communication terminal.

2. An entertainment system according to claim 1, wherein said computer system transmits said identification code, together with said service corresponding to said service request, as a wireless signal to said portable information
20 communication terminal.

3. An entertainment system comprising:

25 an entertainment apparatus (102) for reading and executing a program stored in a detachable storage medium (156) and for being connectable to a wire and/or wireless bidirectional communication network (16), said entertainment

apparatus being operable as a client; and

a portable information communication terminal (32) for receiving a wireless signal from a wireless unidirectional communication network (28) and transmitting information to
5 and receiving information from at least said entertainment apparatus;

the arrangement being such that when an identification code (ID) of the entertainment apparatus and/or the portable information communication terminal and a service request are
10 transmitted from said entertainment apparatus via said bidirectional communication network to a computer system (20) having a server function, said computer system having a server function transmits a command relative to said service request to a computer system (24) having a data processing
15 function and/or a database searching function via a communication link (22), and, in response to said command relative to said service request, said computer system having a data processing function and/or a database searching function processes data and/or searches a database and transmits resultant data to the portable information communication terminal via said unidirectional communication network.

4. An entertainment system according to claim 3, wherein said computer system having a data processing function
25 and/or a database function transmits said identification code, together with the resultant data, to the portable information communication terminal via said unidirectional

communication network.

5. An entertainment system according to claim 3, wherein said service request comprises a news distribution reference which the user wants to be distributed, and said resultant data transmitted to the portable information communication terminal via said unidirectional communication network comprises news based on said news distribution reference.

6. An entertainment system according to claim 3, wherein said service request comprises a command for an online banking transaction, and said resultant data transmitted to the portable information communication terminal via said unidirectional communication network comprises information representing the processed transaction.

7. An entertainment system according to claim 3, wherein said service request comprises data transmitted for purchasing an electronic image online, and said resultant data transmitted to the portable information communication terminal via said unidirectional communication network comprises the electronic image with an electronic watermark added thereto.

8. A data communication network system comprising:
an entertainment system having a master unit (102) connected to a communication network (16), and a portable in-

- 35 -

formation communication terminal (32) connected to said master unit and capable of receiving a wireless signal from an external source; and

a computer system (20), (24) for receiving an identification code (ID) of the master unit and/or the portable information communication terminal and a service request from said master unit, and transmitting a service corresponding to said service request as a wireless signal to said portable information communication terminal.

10

9. A data communication network system according to claim 8, wherein said computer system transmits said identification code, together with said service corresponding to said service request, as a wireless signal to said portable information communication terminal.

15

10. A data communication network system comprising:

an entertainment system having an entertainment apparatus (102) for reading and executing a program stored in a detachable storage medium (156) and for being connectable to a wire and/or wireless bidirectional communication network (16), said entertainment apparatus (102) being operable as a client, and a portable information communication terminal (32) for receiving a wireless signal from a wireless unidirectional communication network (28) and transmitting information to and receiving information from at least said entertainment apparatus;

20

25

a computer system (20) having a server function for receiving an identification code (ID) of the entertainment apparatus and/or the portable information communication terminal and a service request from said entertainment apparatus via said bidirectional communication network; and

a computer system (24) connected to said computer system having a server function via a communication link (22) and having a data processing function and/or a database searching function based on a command relative to said service request from computer system having a server function, the arrangement being such that in response to said command relative to said service request, said computer system having a data processing function and/or a database searching function processes data and/or searches a database and transmits resultant data to the portable information communication terminal via said unidirectional communication network.

11. A data communication network system according to claim 10, wherein said computer system having a data processing function and/or a database searching function transmits said identification code, together with resultant data, to the portable information communication terminal via said unidirectional communication network.

12. A data communication network system according to claim 10, wherein said service request comprises a news dis-

tribution reference which the user wants to be distributed,
and said resultant data transmitted to the portable informa-
tion communication terminal via said unidirectional communi-
cation network comprises news based on said news distribu-
tion reference.

13. A data communication network system according to
claim 10, wherein said service request comprises a command
for an online banking transaction, and said resultant data
transmitted to the portable information communication termi-
nal via said unidirectional communication network comprises
information representing the processed transaction.

14. A data communication network system according to
claim 10, wherein said service request comprises data trans-
mitted for purchasing an electronic image online, and said
resultant data transmitted to the portable information com-
munication terminal via said unidirectional communication
network comprises the electronic image with an electronic
watermark added thereto.

15. An entertainment apparatus comprising:
a portable information communication terminal (32) ca-
pable of receiving a wireless signal from an external source
and a main unit (102) connected to a communication network
(16);

the arrangement being such that when an identification

- 38 -

code (ID) of the main unit (102) and/or the portable information communication terminal and a service request are transmitted from said main unit (102) via said communication network to a computer system (20), (24), said computer system transmits a service corresponding to said service request as a wireless signal to said portable information communication terminal.

16. An entertainment apparatus according to claim 15, wherein said computer system transmits said identification code, together with said service corresponding to said service request, as a wireless signal to said portable information communication terminal.

17. An entertainment apparatus comprising:

means for reading and executing a program stored in a detachable storage medium (156);

means for transmitting a service request to a computer system (24) having a data processing function and/or a database searching function, via a wire and/or wireless bidirectional communication network (16); and

means for transmitting information to and receiving information from a detachable portable information communication terminal (32) capable of receiving a wireless signal from a wireless unidirectional network (28) and having an inherent identification code (ID);

the arrangement being such that when said inherent

identification code is transmitted from said portable information communication terminal, said inherent identification code and the service request are transmitted via said wireless bidirectional communication network to said computer system, and said computer system transmits processed data and/or database data responsive to said service request via said unidirectional communication network as a wireless signal to said portable information communication terminal.

10 18. An entertainment apparatus according to claim 17, wherein said computer system transmits said identification code, together with the processed data and/or the database data, via said unidirectional communication network to said portable information communication terminal.

15

19. A portable information communication terminal comprising:

 a wireless signal receiver (220);

20 a communication block (236), (238) for communication with a master unit (102); and

 a storage unit (222) for storing an inherent identification code (ID);

25 the arrangement being such that when said inherent identification code is transmitted to said master unit, said master unit transmits said inherent identification code and a service request via a communication network (16) to a computer system (20), (24), and said computer system transmits

a service corresponding to said service request as a wireless signal to said wireless signal receiver.

20. A portable information communication terminal according to claim 19, wherein said computer system transmits said inherent identification code, together with said service corresponding to said service request, as a wireless signal to said wireless signal receiver.

21. A portable information communication terminal comprising:

means for receiving a wireless signal from a wireless unidirectional communication network (28);

means for transmitting information to and receiving information from a detachable main unit (102); and

a storage unit (222) for storing an inherent identification code (ID);


the arrangement being such that when said inherent identification code is transmitted to said main unit, said main unit transmits said inherent identification code and a service request via a communication network (16) to a computer system (24) having a data processing function and/or a database searching function, and said computer system transmits processed data and/or database data responsive to said service request as a wireless signal via said wireless unidirectional communication network, and the portable information communication terminal receives said wireless signal.

- 41 -


22. A portable information communication terminal according to claim 21, wherein said computer system transmits said inherent identification code, together with said processed data and/or said database data via said unidirectional communication network as a wireless signal to said portable information communication terminal.

1/15

FIG. 1



2/15



3/15

FIG. 3




FIG. 4







FIG. 5




6/15




7/15




8/15



9/15




10/15




11/15

FIG. 11



12/15



13/15

FIG. 13






FIG. 14



15/15

FIG. 15



INTERNATIONAL SEARCH REPORT

Interr 1al Application No
PCT/JP 00/02352

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 A63F13/12

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 A63F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 795 228 A (BEHRENS MARTY ET AL) 18 August 1998 (1998-08-18)	1,3,8, 10,15, 17,19,21
Y	column 5, line 26 - line 43 column 6, line 5 - line 10 column 8, line 20 -column 9, line 60 ---	2,4,6,9, 11,13, 16,18,20
Y	US 5 051 822 A (RHOADES DONALD E) 24 September 1991 (1991-09-24) column 2, line 27 -column 3, line 5 --- -/--	2,4,9, 11,16, 18,20

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *&* document member of the same patent family

Date of the actual completion of the international search

6 July 2000

Date of mailing of the international search report

14/07/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Sindic, G

INTERNATIONAL SEARCH REPORT

International Application No

PCT/JP 00/02352

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 5 668 591 A (SHINTANI PETER) 16 September 1997 (1997-09-16)	6,13
A	column 3, line 1 - line 49 column 5, line 10 - line 21 ---	7,14
A	US 5 526 035 A (LAPPINGTON JOHN P ET AL) 11 June 1996 (1996-06-11) column 4, line 64 -column 5, line 5 -----	1,3,8, 10,15, 17,19,21

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/JP 00/02352

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 5795228	A	18-08-1998	NONE	
US 5051822	A	24-09-1991	CA 2067783 A EP 0667070 A JP 5503615 T WO 9106160 A US 5181107 A	20-04-1991 16-08-1995 10-06-1993 02-05-1991 19-01-1993
US 5668591	A	16-09-1997	JP 7271697 A GB 2288044 A, B	20-10-1995 04-10-1995
US 5526035	A	11-06-1996	US 5343239 A AU 661082 B AU 3063292 A CA 2124000 A EP 0613600 A JP 7505020 T WO 9310605 A US 5734413 A US 5519433 A US 5764275 A US 5638113 A	30-08-1994 13-07-1995 15-06-1993 27-05-1993 07-09-1994 01-06-1995 27-05-1993 31-03-1998 21-05-1996 09-06-1998 10-06-1997